





TRU

GALAHAD

USER DOCUMENTATION

GALAHAD Optimization Library version 5.0

1 SUMMARY

This package uses a **trust-region method to find a (local) unconstrained minimizer of a differentiable objective function** $f(\mathbf{x})$ of many variables \mathbf{x} . The method offers the choice of direct and iterative solution of the key trust-region subproblems, and is most suitable for large problems. First derivatives are required, and if second derivatives can be calculated, they will be exploited—if the product of second derivatives with a vector may be found but not the derivatives themselves, that may also be exploited.

ATTRIBUTES — Versions: GALAHAD_TRU_single, GALAHAD_TRU_double. Uses: GALAHAD_CLOCK, GALAHAD_NLPT, GALAHAD_SYMBOLS, GALAHAD_SPECFILE, GALAHAD_PSLS, GALAHAD_GLTR, GALAHAD_TRS, GALAHAD_DPS, GALAHAD_LMS, GALAHAD_SHA, GALAHAD_SPACE and GALAHAD_NORMS. Date: July 2008. Origin: N. I. M. Gould, Rutherford Appleton Laboratory, and Ph. L. Toint, The University of Namur, Belgium. Language: Fortran 95 + TR 15581 or Fortran 2003.

2 HOW TO USE THE PACKAGE

The package is available using both single and double precision reals, and either 32-bit or 64-bit integers. Access to the 32-bit integer, single precision version requires the USE statement

USE GALAHAD_TRU_single

with the obvious substitution GALAHAD_TRU_double, GALAHAD_TRU_single_64 and GALAHAD_TRU_double_64 for the other variants.

If it is required to use more than one of the modules at the same time, the derived types SMT_type, GALAHAD_userdata_type, TRU_time_type, TRU_control_type, TRU_inform_type, TRU_data_type and NLPT_problem_type, (Section 2.3) and the subroutines TRU_initialize, TRU_solve, TRU_terminate, (Section 2.4) and TRU_read_specfile (Section 2.8) must be renamed on one of the USE statements.

2.1 Matrix storage formats

If available, the Hessian matrix $\mathbf{H} = \nabla_{xx} f(\mathbf{x})$ may be stored in a variety of input formats.

2.1.1 Dense storage format

The matrix **H** is stored as a compact dense matrix by rows, that is, the values of the entries of each row in turn are stored in order within an appropriate real one-dimensional array. Since **H** is symmetric, only the lower triangular part (that is the part h_{ij} for $1 \le j \le i \le n$) need be held. In this case the lower triangle should be stored by rows, that is component i * (i-1)/2 + j of the storage array H%val will hold the value h_{ij} (and, by symmetry, h_{ji}) for $1 \le j \le i \le n$.

2.1.2 Sparse co-ordinate storage format

Only the nonzero entries of the matrices are stored. For the *l*-th entry, $1 \le l \le H$ %ne, of **H**, its row index *i*, column index *j* and value h_{ij} , $1 \le j \le i \le n$, are stored in the *l*-th components of the integer arrays H%row, H%col and real array H%val, respectively. Note that only the entries in the lower triangle should be stored.

All use is subject to the conditions of a BSD-3-Clause License. See http://galahad.rl.ac.uk/galahad-www/cou.html for full details.

GALAHAD

2.1.3 Sparse row-wise storage format

Again only the nonzero entries are stored, but this time they are ordered so that those in row *i* appear directly before those in row i + 1. For the *i*-th row of **H**, the *i*-th component of the integer array H%ptr holds the position of the first entry in this row, while H%ptr (n + 1) holds the total number of entries plus one. The column indices j, $1 \le j \le i$, and values h_{ij} of the entries in the *i*-th row are stored in components $l = H%ptr(i), \ldots, H%ptr(i+1) - 1$ of the integer array H%col, and real array H%val, respectively. Note that as before only the entries in the lower triangle should be stored. For sparse matrices, this scheme almost always requires less storage than its predecessor.

2.1.4 Diagonal storage format

If **H** is diagonal (i.e., $h_{ij} = 0$ for all $1 \le i \ne j \le n$) only the diagonals entries h_{ii} , $1 \le i \le n$, need be stored, and the first *n* components of the array H%val may be used for the purpose.

2.2 Real and integer kinds

We use the terms integer and real to refer to the fortran keywords $REAL(rp_)$ and $INTEGER(ip_)$, where $rp_$ and $ip_$ are the relevant kind values for the real and integer types employed by the particular module in use. The former are equivalent to default REAL for the single precision versions and DOUBLE PRECISION for the double precision cases, and correspond to $rp_$ = real32 and $rp_$ = real64, respectively, as supplied by the fortran iso_fortran_env module. The latter are default (32-bit) and long (64-bit) integers, and correspond to $ip_$ = int32 and $ip_$ = int64, respectively, again from the iso_fortran_env module.

2.3 The derived data types

Seven derived data types are accessible from the package.

2.3.1 The derived data type for holding matrices

The derived data type SMT_TYPE is used to hold the Hessian matrix **H** if this is available. The components of SMT_TYPE used here are:

- n is a scalar component of type INTEGER (ip_), that holds the dimension of the matrix.
- ne is a scalar variable of type INTEGER (ip_), that holds the number of matrix entries.
- type is a rank-one allocatable array of type default CHARACTER, that is used to indicate the matrix storage scheme used. Its precise length and content depends on the type of matrix to be stored (see §2.3.2).
- val is a rank-one allocatable array of type REAL (rp_) and dimension at least ne, that holds the values of the entries. Each pair of off-diagonal entries $h_{ij} = h_{ji}$ of the *symmetric* matrix **H** is represented as a single entry (see §2.1.1–2.1.3). Any duplicated entries that appear in the sparse co-ordinate or row-wise schemes will be summed.
- row is a rank-one allocatable array of type INTEGER (ip_), and dimension at least ne, that may hold the row indices of the entries. (see §2.1.2).
- col is a rank-one allocatable array of type INTEGER(ip_), and dimension at least ne, that may hold the column indices of the entries (see §2.1.2-2.1.3).
- ptr is a rank-one allocatable array of type INTEGER (ip_), and dimension at least n + 1, that may hold the pointers to the first entry in each row (see §2.1.3).

🜌 GALAHAD

2.3.2 The derived data type for holding the problem

The derived data type NLPT_problem_type is used to hold the problem. The relevant components of NLPT_problem_type are:

- n is a scalar variable of type INTEGER (ip_), that holds the number of optimization variables, n.
- H is scalar variable of type SMT_TYPE that holds the Hessian matrix **H**. The following components are used here:
 - H%type is an allocatable array of rank one and type default CHARACTER, that is used to indicate the storage scheme used. If the dense storage scheme (see Section 2.1.1) is used, the first five components of H%type must contain the string DENSE. For the sparse co-ordinate scheme (see Section 2.1.2), the first ten components of H%type must contain the string COORDINATE, for the sparse row-wise storage scheme (see Section 2.1.3), the first fourteen components of H%type must contain the string SPARSE_BY_ROWS, and for the diagonal storage scheme (see Section 2.1.4), the first eight components of H%type must contain the string DIAGONAL.

For convenience, the procedure SMT_put may be used to allocate sufficient space and insert the required keyword into H%type. For example, if nlp is of derived type TRU_problem_type and involves a Hessian we wish to store using the co-ordinate scheme, we may simply

CALL SMT_put(nlp%H%type, 'COORDINATE')

See the documentation for the GALAHAD package SMT for further details on the use of SMT_put.

- H%ne is a scalar variable of type INTEGER(ip_), that holds the number of entries in the **lower triangular** part of **H** in the sparse co-ordinate storage scheme (see Section 2.1.2). It need not be set for any of the other three schemes.
- H%val is a rank-one allocatable array of type REAL (rp_), that holds the values of the entries of the **lower** triangular part of the Hessian matrix **H** in any of the storage schemes discussed in Section 2.1.
- H%row is a rank-one allocatable array of type INTEGER (ip_), that holds the row indices of the **lower triangular** part of **H** in the sparse co-ordinate storage scheme (see Section 2.1.2). It need not be allocated for any of the other three schemes.
- H%col is a rank-one allocatable array variable of type INTEGER(ip_), that holds the column indices of the **lower triangular** part of **H** in either the sparse co-ordinate (see Section 2.1.2), or the sparse row-wise (see Section 2.1.3) storage scheme. It need not be allocated when the dense or diagonal storage schemes are used.
- H%ptr is a rank-one allocatable array of dimension n+1 and type INTEGER (ip_), that holds the starting position of each row of the **lower triangular** part of **H**, as well as the total number of entries plus one, in the sparse row-wise storage scheme (see Section 2.1.3). It need not be allocated when the other schemes are used.
- G is a rank-one allocatable array of dimension n and type REAL (rp_), that holds the gradient **g** of the objective function. The *j*-th component of G, j = 1, ..., n, contains \mathbf{g}_j .
- f is a scalar variable of type ${\tt REAL\,(rp_)}$, that holds the value of the objective function.
- X is a rank-one allocatable array of dimension n and type REAL (rp_), that holds the values **x** of the optimization variables. The *j*-th component of X, j = 1, ..., n, contains x_j .
- pname is a scalar variable of type default CHARACTER and length 10, which contains the "name" of the problem for printing. The default "empty" string is provided.
- VNAMES is a rank-one allocatable array of dimension n and type default CHARACTER and length 10, whose *j*-th entry contains the "name" of the *j*-th variable for printing. This is only used if "debug"printing control%print_level
 > 4) is requested, and will be ignored if the array is not allocated.

2.3.3 The derived data type for holding control parameters

The derived data type TRU_control_type is used to hold controlling data. Default values may be obtained by calling TRU_initialize (see Section 2.4.1), while components may also be changed by calling GALAHAD_TRU_read_spec (see Section 2.8.1). The components of TRU_control_type are:

- error is a scalar variable of type INTEGER(ip_), that holds the stream number for error messages. Printing of error messages in TRU_solve and TRU_terminate is suppressed if error ≤ 0 . The default is error = 6.
- out is a scalar variable of type INTEGER (ip_), that holds the stream number for informational messages. Printing of informational messages in TRU_solve is suppressed if out < 0. The default is out = 6.
- print_level is a scalar variable of type INTEGER (ip_), that is used to control the amount of informational output which is required. No informational output will occur if print_level ≤ 0 . If print_level = 1, a single line of output will be produced for each iteration of the process. If print_level ≥ 2 , this output will be increased to provide significant detail of each iteration. The default is print_level = 0.
- maxit is a scalar variable of type INTEGER(ip_), that holds the maximum number of iterations which will be allowed in TRU_solve. The default is maxit = 1000.
- start_print is a scalar variable of type INTEGER(ip_), that specifies the first iteration for which printing will occur in TRU_solve. If start_print is negative, printing will occur from the outset. The default is start_print = -1.
- stop_print is a scalar variable of type INTEGER(ip_), that specifies the last iteration for which printing will occur in TRU_solve. If stop_print is negative, printing will occur once it has been started by start_print. The default is stop_print = -1.
- print_gap is a scalar variable of type INTEGER(ip_). Once printing has been started, output will occur once every
 print_gap iterations. If print_gap is no larger than 1, printing will be permitted on every iteration. The default
 is print_gap = 1.
- non_monotone is a scalar variable of type INTEGER(ip_), that specifies the history-length for non-monotone descent strategy. Any non-positive value results in standard monotone descent, for which merit function improvement occurs at each iteration. There are often definite advantages in using a non-monotone strategy with a modest history, since the occasional local increase in the merit function may enable the algorithm to move across (gentle) "ripples" in the merit function surface. However, we do not usually recommend large values of non_monotone. The default is non_monotone = 1.
- model is a scalar variable of type INTEGER (ip_), that specifies which model to be used to approximate $f(\mathbf{x})$ when computing the step. Possible values are:
 - 0 the model is chosen automatically on the basis of which option looks likely to be the most efficient at any given stage of the solution process. Different models may be used at different stages. **Not yet implemented.**
 - 1 a first-order model, not involving the Hessian, will be used.
 - 2 a second-order model, using the Hessian, will be used.
 - ³ a barely-second-order model, in which the Hessian is approximated by the identity matrix, will be used.
 - 4 a secant-based sparse second-order model, in which the Hessian is approximated within its sparsity pattern using secant formulae will be used.
 - 5 a secant-based second-order model, in which the Hessian is approximated by a limited-memory BFGS formula, will be used.
 - 6 a secant-based second-order model, in which the Hessian is approximated by a limited-memory symmetric rank-one (SR1) formula, will be used.

All use is subject to the conditions of a BSD-3-Clause License.

See http://galahad.rl.ac.uk/galahad-www/cou.html for full details.

The default is model = 2.

- norm is a scalar variable of type INTEGER (ip.), that specifies which norm is to be used to define the trust region. In particular the norm $\|\cdot\|$ will be defined by a symmetric, positive-definite matrix **P** so that for every vector **v**, $\|\mathbf{v}\|^2 = \mathbf{v}^T \mathbf{P} \mathbf{v}$. If \$ subproblem_direct = .FALSE., the same \mathbf{P} also defines the preconditioner to be used to accelerate the generalized-Lanczos inner model minimization. Possible values are:
 - -3 the user's own norm will be used.
 - -2 a norm based on a limited-memory BFGS formula will be used.
 - -1 the Euclidean (ℓ_2 -) norm is used.
 - 0 the type is chosen automatically on the basis of which option looks likely to be the most efficient at any given stage of the solution process. Different norms may be used at different stages. Not yet implemented.
 - 1 P is the diagonal of the Hessian matrix, suitably modified to ensure that it is significantly positive definite, is used.
 - 2 P is the Hessian matrix whose entries outside a band of given semi-bandwidth are replaced by zeros (see nsemib below).
 - 3 P is the Hessian matrix whose entries outside a bandwidth-reduced reordered band of given semi-bandwidth are replaced by zeros (see nsemib below).
 - 4 P is the (possibly perturbed) Hessian, using the Schnabel-Eskow modification method to ensure that the resultant matrix is positive definite.
 - 5 P is the (possibly perturbed) Hessian, using the Gill-Murray-Poncéleon-Saunders modification method to ensure that the resultant matrix is positive definite. Not yet implemented.
 - 6 P will be that from the incomplete factorization of the Hessian using the Lin-Moré method.
 - 7 P will be that from the incomplete factorization of the Hessian using the method implemented by HSL_MI28.
 - 8 P will be that from the incomplete factorization of the Hessian using Munksgaars's method. Not yet implemented.
 - 9 P will be that from an expanding band of the Hessian. Not yet implemented.
 - 10 P will be that which gives a diagonalising norm as implemented in TRU_DPS. Note that this is currently only available when subproblem_direct = .TRUE. (see below).

The default is norm = 1.

- semi_bandwidth is a scalar variable of type INTEGER (ip_), that specifies the semi-bandwidth of P when norm = 2, if appropriate. The default is semi_bandwidth = 5.
- lbfgs_vectors is a scalar variable of type INTEGER (ip_), that specifies the number of limited-memory vectors used in the model when model = 5 or 6, and/or by the norm when norm = -2, if appropriate. The default is $lbfgs_vectors = 10.$
- max_dxq is a scalar variable of type INTEGER (ip_), that specifies the maximum number of sparse difference vectors used by the model when model = 4. The default is max_dxg = 100.
- icfs_vectors is a scalar variable of type INTEGER (ip_), that specifies the number of multiples of the problem dimension n that is available to hold fill-in when computing the Lin-Moré factorization. The default is icfs_vectors = 10.
- mi28_lsize is a scalar variable of type INTEGER (ip_), that specifies the maximum number of fill entries within each column of the incomplete factor L computed by HSL_MI28. In general, increasing mi28_lsize improves the quality of the preconditioner but increases the time to compute and then it. Values less than 0 are treated as 0. The default is mi28_lsize = 10.

All use is subject to the conditions of a BSD-3-Clause License.

See http://galahad.rl.ac.uk/galahad-www/cou.html for full details.

- mi28_rsize is a scalar variable of type INTEGER (ip_), that specifies the the maximum number of entries within each column of the strictly lower triangular matrix *R* used in the computation of the preconditioner by HSL_MI28. Rank-1 arrays of size mi28_rsize * n are allocated internally to hold *R*. Thus the amount of memory used, as well as the amount of work involved in computing the preconditioner, depends on mi28_rsize = 0, and choosing mi28_rsize > 0 generally leads to a higher quality preconditioner than using mi28_rsize = 0, and choosing mi28_rsize > mi28_lsize is generally recommended. The default is mi28_rsize = 10.
- alive_unit is a scalar variable of type INTEGER (ip_). If alive_unit > 0, a temporary file named alive_file (see below) will be created on stream number alive_unit on initial entry to GALAHAD_TRU_solve, and execution of GALAHAD_TRU_solve will continue so long as this file continues to exist. Thus, a user may terminate execution simply by removing the temporary file from this unit. If alive_unit ≤ 0 , no temporary file will be created, and execution cannot be terminated in this way. The default is alive_unit = 60.
- advanced_start is a scalar variable of type INTEGER (ip_) that specifies the number of evaluations of the objective function that may be performed If the user wishes to try to select a good initial value of the trust-region radius. If the user is content with the initial value provided, advanced_start should be set to 0, and this is the default.
- stop_g_absolute is a scalar variable of type REAL (rp_), that is used to specify the maximum permitted (infinity) norm of the gradient of the objective function (see Section 4) at the estimate of the solution sought. The default is stop_g_absolute = 10^{-5} .
- stop_g_relative is a scalar variable of type REAL (rp_), that is used to specify the largest relative reduction in the
 norm of the gradient of the objective function that will be permitted (see Section 4) at the estimate of the solution
 sought compared to that at the initial point. The default is stop_g_relative = 1.
- stop_s is a scalar variable of type REAL (rp_), that is used to specify the minimum acceptable correction step s relative to the current estimate of the solution x The algorithm will be deemed to have converged if $|s_i| \le \text{stop}_s * \max(1, |x_i|)$ for all i = 1, ..., n. The default is stop_s = u, where u is EPSILON(1.0) (EPSILON(1.0D0) in GALAHAD_TRU_double).
- initial_radius is a scalar variable of type REAL(rp_), that holds the required initial value of the trust-region radius. If initial_radius ≤ 0 , the radius will be chosen automatically by GALAHAD_TRU_solve The default is initial_radius = 100.0.
- maximum_radius is a scalar variable of type REAL (rp_), that holds the largest permitted value of the trust-region radius as the algorithm proceeds. The default is maximum_radius = 10^8 .
- radius_increase, radius_reduce and radius_reduce_max are scalar variables of type REAL (rp_), that control the maximum amounts by which the trust-region radius can contract or expand during an iteration. The radius will be decreased by powers of radius_reduce, but not in total more than radius_reduce_max, until it is smaller than the norm of the current step. It can be increased by at most a factor radius_increase. The defaults are radius_increase = 2.0, radius_reduce = 0.5 and radius_reduce_max = 0.0625.
- eta_successful, eta_very_successful and eta_too_successful are scalar variables of type default REAL (rp_), that control the acceptance and rejection of the trial step and the updates to the trust-region radius. At every iteration, the ratio of the actual reduction in the merit function following the trial step to that predicted by the model is computed. The step is accepted whenever this ratio exceeds eta_successful; otherwise the trust-region radius will be reduced. If, in addition, the ratio exceeds eta_very_successful but not eta_too_successful, the trust-region radius may be increased. The defaults are eta_successful = 10^{-8} , eta_very_successful = 0.9 and eta_too_successful = 2.0.
- obj_unbounded is a scalar variable of type default REAL (rp_), that specifies smallest value of the objective function that will be tolerated before the problem is declared to be unbounded from below. The default is potential_unbounded = $-u^{-2}$, where u is EPSILON(1.0) (EPSILON(1.0D0) in GALAHAD_TRU_double).

- cpu_time_limit is a scalar variable of type REAL(rp_), that is used to specify the maximum permitted CPU time. Any negative value indicates no limit will be imposed. The default is cpu_time_limit = - 1.0.
- hessian_available is a scalar variable of type default LOGICAL, that should be set .TRUE. if the user will provide second derivatives (either by providing an appropriate evaluation routine to the solver or by reverse communication, see Section 2.6), and .FALSE. if the second derivatives are not explicitly available. The default is hessian_available = .TRUE..
- subproblem_direct is a scalar variable of type default LOGICAL, that should be set .TRUE. if a direct (factorization) method is desired when solving for the step, and .FALSE. if an iterative method suffices. The default is subproblem_direct = .FALSE..
- retrospective_trust_region is a scalar variable of type default LOGICAL, that should be set .TRUE. if a retrospective trust-region strategy, based on the model at the next iterate, is to be used, and .FALSE. if the traditional strategy suffices. The default is retrospective_trust_region = .FALSE..
- renormalize_radius is a scalar variable of type default LOGICAL, that should be set .TRUE. if the trust-region radius is to be re-normalized to account for the shape of the trust-region norm every iteration, and .FALSE. if no re-normalization is required. The default is renormalize_radius = .FALSE..
- space_critical is a scalar variable of type default LOGICAL, that must be set .TRUE. if space is critical when allocating arrays and .FALSE. otherwise. The package may run faster if space_critical is .FALSE. but at the possible expense of a larger storage requirement. The default is space_critical = .FALSE..
- deallocate_error_fatal is a scalar variable of type default LOGICAL, that must be set .TRUE. if the user wishes to terminate execution if a deallocation fails, and .FALSE. if an attempt to continue will be made. The default is deallocate_error_fatal = .FALSE..
- alive_file is a scalar variable of type default CHARACTER and length 30, that gives the name of the temporary file whose removal from stream number alive_unit terminates execution of GALAHAD_TRU_solve. The default is alive_unit = ALIVE.d.
- prefix is a scalar variable of type default CHARACTER and length 30, that may be used to provide a user-selected character string to preface every line of printed output. Specifically, each line of output will be prefaced by the string prefix (2:LEN(TRIM(prefix))-1), thus ignoreing the first and last non-null components of the supplied string. If the user does not want to preface lines by such a string, they may use the default prefix = "".
- PSLS_control is a scalar variable of type PSLS_control_type whose components are used to control the preconditioning aspects of the calculation, as performed by the package GALAHAD_PSLS. See the specification sheet for the package GALAHAD_PSLS for details, and appropriate default values (but note that values for PSLS_control%preconditioner, PSLS_control%semi_bandwidth and PSLS_control%icfs_vectors may be overridden by GALAHAD_TRU_solve).
- GLTR_control is a scalar variable of type GLTR_control_type whose components are used to control the iterative trust-region step calculation (if any), performed by the package GALAHAD_GLTR. See the specification sheet for the package GALAHAD_GLTR for details, and appropriate default values (but note that value of GLTR_control%unitm may be changed by GALAHAD_TRU_solve).
- TRS_control is a scalar variable of type TRS_control_type whose components are used to control the direct trustregion step calculation (if any), performed by the package GALAHAD_TRS. See the specification sheet for the package GALAHAD_TRS for details, and appropriate default values (but note that values of TRS_control%initial_multiplier and TRS_control%new_h may be changed by GALAHAD_TRU_solve).

All use is subject to the conditions of a BSD-3-Clause License. See http://galahad.rl.ac.uk/galahad-www/cou.html for full details.

- DPS_control is a scalar variable of type DPS_control_type whose components are used to control the direct trustregion step calculation, in a diagonalising norm, (if any), performed by the package GALAHAD_DPS. See the specification sheet for the package GALAHAD_DPS for details, and appropriate default values (but note that values of DPS_control%initial_multiplier and DPS_control%new_h may be changed by GALAHAD_TRU_solve).
- LMS_control and LMS_control_prec are scalar variables of type LMS_control_type whose components are used to control the limited memory secant approximations for the model Hessian and trust region norm as performed by the package GALAHAD_LMS. See the specification sheet for the package GALAHAD_LMS for details, and appropriate default values.
- SHA_control is a scalar variable of type SHA_control_type whose components are used to control the calculation of the sparse model Hessian (if required), performed by the package GALAHAD_SHA. See the specification sheet for the package GALAHAD_SHA for details, and appropriate default values.

2.3.4 The derived data type for holding timing information

The derived data type TRU_time_type is used to hold elapsed CPU and system clock times for the various parts of the calculation. The components of TRU_time_type are:

- total is a scalar variable of type default REAL, that gives the CPU total time spent in the package.
- preprocess is a scalar variable of type REAL (rp_), that gives the CPU time spent reordering the problem to standard form prior to solution.
- analyse is a scalar variable of type REAL(rp_), that gives the CPU time spent analysing required matrices prior to factorization.
- factorize is a scalar variable of type REAL (rp_), that gives the CPU time spent factorizing the required matrices.
- solve is a scalar variable of type REAL (rp_), that gives the CPU time spent using the factors to solve relevant linear equations.
- clock_total is a scalar variable of type default REAL, that gives the total elapsed system clock time spent in the package.
- clock_preprocess is a scalar variable of type REAL (rp_), that gives the elapsed system clock time spent reordering the problem to standard form prior to solution.
- clock_analyse is a scalar variable of type REAL(rp_), that gives the elapsed system clock time spent analysing required matrices prior to factorization.
- clock_factorize is a scalar variable of type REAL (rp_), that gives the elapsed system clock time spent factorizing the required matrices.
- clock_solve is a scalar variable of type REAL (rp_), that gives the elapsed system clock time spent using the factors to solve relevant linear equations.

2.3.5 The derived data type for holding informational parameters

The derived data type TRU_inform_type is used to hold parameters that give information about the progress and needs of the algorithm. The components of TRU_inform_type are:

status is a scalar variable of type INTEGER (ip_), that gives the exit status of the algorithm. See Sections 2.6 and 2.7 for details.

- alloc_status is a scalar variable of type INTEGER(ip_), that gives the status of the last attempted array allocation or deallocation. This will be 0 if status = 0.
- bad_alloc is a scalar variable of type default CHARACTER and length 80, that gives the name of the last internal array for which there were allocation or deallocation errors. This will be the null string if status = 0.
- iter is a scalar variable of type INTEGER (ip_), that holds the number of iterations performed.
- cg_iter is a scalar variable of type INTEGER(ip_), that gives the total number of conjugate-gradient iterations required.
- factorization_status is a scalar variable of type INTEGER (ip_), that gives the return status from the matrix factorization.
- max_entries_factors is a scalar variable of type INTEGER(int64), that gives the maximum number of entries in any of the matrix factorizations performed during the calculation.
- factorization_max is a scalar variable of type INTEGER(ip_), that gives the largest number of factorizations required during a subproblem solution.
- factorization_integer is a scalar variable of type default INTEGER (ip_), that gives the amount of integer storage used for the matrix factorization.
- factorization_real is a scalar variable of type INTEGER (ip_), that gives the amount of real storage used for the matrix factorization.
- f_eval is a scalar variable of type INTEGER(ip_), that gives the total number of objective function evaluations performed.
- g_eval is a scalar variable of type INTEGER(ip_), that gives the total number of objective function gradient evaluations performed.
- h_eval is a scalar variable of type INTEGER(ip_), that gives the total number of objective function Hessian evaluations performed.
- obj is a scalar variable of type REAL (rp_), that holds the value of the objective function at the best estimate of the solution found.
- norm_g is a scalar variable of type REAL (rp_), that holds the value of the norm of the objective function gradient at the best estimate of the solution found.
- radius is a scalar variable of type REAL (rp_), that holds the current value of the trust-region radius.
- factorization_average is a scalar variable of type REAL (rp_), that gives the average number of factorizations per subproblem solved.
- time is a scalar variable of type TRU_time_type whose components are used to hold elapsed elapsed CPU and system clock times for the various parts of the calculation (see Section 2.3.4).
- PSLS_inform is a scalar variable of type PSLS_inform_type whose components give information about the progress and needs of the preconditioning stages of the algorithm performed by the package GALAHAD_PSLS. See the specification sheet for the package GALAHAD_PSLS for details.
- GLTR_inform is a scalar variable of type GLTR_inform_type whose components give information about the progress and needs of the iterative solution stages of the algorithm performed by the package GALAHAD_GLTR. See the specification sheet for the package GALAHAD_GLTR for details.

All use is subject to the conditions of a BSD-3-Clause License.

See http://galahad.rl.ac.uk/galahad-www/cou.html for full details.

- TRS_inform is a scalar variable of type TRS_inform_type whose components give information about the progress and needs of the direct solution stages of the algorithm performed by the package GALAHAD_TRS. See the specification sheet for the package GALAHAD_TRS for details.
- DPS_inform is a scalar variable of type DPS_inform_type whose components give information about the progress and needs of the direct solution, in a diagonalising norm, stages of the algorithm performed by the package GALAHAD_DPS. See the specification sheet for the package GALAHAD_DPS for details.
- LMS_inform and LMS_inform_prec are scalar variables of type LMS_inform_type whose components give information about the progress and needs of the limited memory secant approximations for the model Hessian and trust region norm as performed by the package GALAHAD_LMS. See the specification sheet for the package GALAH-AD_LMS for details.
- SHA_inform is a scalar variable of type SHA_inform_type whose components give information about the progress and needs of the sparse model Hessian calculation performed by the package GALAHAD_SHA. See the specification sheet for the package GALAHAD_SHA for details.

2.3.6 The derived data type for holding problem data

The derived data type TRU_data_type is used to hold all the data for a particular problem, or sequences of problems with the same structure, between calls of TRU procedures. This data should be preserved, untouched (except as directed on return from GALAHAD_TRU_solve with positive values of inform%status, see Section 2.6), from the initial call to TRU_initialize to the final call to TRU_terminate.

2.3.7 The derived data type for holding user data

The derived data type GALAHAD_userdata_type is available from the package GALAHAD_userdata to allow the user to pass data to and from user-supplied subroutines for function and derivative calculations (see Section 2.5). Components of variables of type GALAHAD_userdata_type may be allocated as necessary. The following components are available:

integer is a rank-one allocatable array of type INTEGER(ip_).

real is a rank-one allocatable array of type default REAL (rp_)

complex is a rank-one allocatable array of type default COMPLEX (double precision complex in GALAHAD_TRU_double).

character is a rank-one allocatable array of type default CHARACTER.

logical is a rank-one allocatable array of type default LOGICAL.

integer_pointer is a rank-one pointer array of type INTEGER(ip_).

real_pointer is a rank-one pointer array of type default REAL (rp_)

complex_pointer is a rank-one pointer array of type default COMPLEX (double precision complex in GALAHAD_TRU_double).

character_pointer is a rank-one pointer array of type default CHARACTER.

logical_pointer is a rank-one pointer array of type default LOGICAL.

🜌 GALAHAD

2.4 Argument lists and calling sequences

There are three procedures for user calls (see Section 2.8 for further features):

- 1. The subroutine TRU_initialize is used to set default values, and initialize private data, before solving one or more problems with the same sparsity and bound structure.
- 2. The subroutine TRU_solve is called to solve the problem.
- 3. The subroutine TRU_terminate is provided to allow the user to automatically deallocate array components of the private data, allocated by TRU_solve, at the end of the solution process. It is important to do this if the data object is re-used for another problem with a different structure since TRU_initialize cannot test for this situation, and any existing associated targets will subsequently become unreachable.

We use square brackets [] to indicate OPTIONAL arguments.

2.4.1 The initialization subroutine

Default values are provided as follows:

```
CALL TRU_initialize( data, control, inform )
```

- data is a scalar INTENT (INOUT) argument of type TRU_data_type (see Section 2.3.6). It is used to hold data about the problem being solved.
- control is a scalar INTENT (OUT) argument of type TRU_control_type (see Section 2.3.3). On exit, control contains default values for the components as described in Section 2.3.3. These values should only be changed after calling TRU_initialize.
- inform is a scalar INTENT(OUT) argument of type TRU_inform_type (see Section 2.3.5). A successful call to TRU_initialize is indicated when the component status has the value 0. For other return values of status, see Section 2.7.

2.4.2 The minimization subroutine

The minimization algorithm is called as follows:

```
CALL TRU_solve( nlp, control, inform, data, userdata[, eval_F, eval_G, & eval_H, eval_HPROD] )
```

nlp is a scalar INTENT (INOUT) argument of type NLPT_problem_type (see Section 2.3.2). It is used to hold data about the problem being solved. For a new problem, the user must allocate all the array components, and set values for nlp%n and the required integer components of nlp%H if second derivatives will be used. Users are free to choose whichever of the matrix formats described in Section 2.1 is appropriate for **H** for their application.

The component nlp%X must be set to an initial estimate, \mathbf{x}^0 , of the minimization variables. A good choice will increase the speed of the package, but the underlying method is designed to converge (at least to a local solution) from an arbitrary initial guess.

On exit, the component nlpX will contain the best estimates of the minimization variables x.

Restrictions: nlp%n > 0 and nlp%H%type ∈ {'DENSE', 'COORDINATE', 'SPARSE_BY_ROWS', 'DIAGONAL'}.

control is a scalar INTENT(IN) argument of type TRU_control_type (see Section 2.3.3). Default values may be assigned by calling TRU_initialize prior to the first call to TRU_solve. The arguments control%PSLS_control-%preconditioner, control%PSLS_control%semi_bandwidth, control%PSLS_control%lbfgs_vectors and control%PSLS_control%icfs_vectors will be overridden by control%norm, control%semi_bandwidth, control%lbfgs_vectors and control%icfs_vectors, respectively.

- inform is a scalar INTENT (INOUT) argument of type TRU_inform_type (see Section 2.3.5). On initial entry, the component status must be set to the value 1. Other entries need note be set. A successful call to TRU_solve is indicated when the component status has the value 0. For other return values of status, see Sections 2.6 and 2.7.
- data is a scalar INTENT (INOUT) argument of type TRU_data_type (see Section 2.3.6). It is used to hold data about the problem being solved. With the possible exceptions of the components eval_status and U (see Section 2.6), it must not have been altered by the user since the last call to TRU_initialize.
- userdata is a scalar INTENT (INOUT) argument of type GALAHAD_userdata_type whose components may be used to communicate user-supplied data to and from the OPTIONAL subroutines eval_F, eval_G, eval_H and eval_HPROD (see Section 2.3.7).
- eval_F is an OPTIONAL user-supplied subroutine whose purpose is to evaluate the value of the objective function $f(\mathbf{x})$ at a given vector \mathbf{x} . See Section 2.5.1 for details. If eval_F is present, it must be declared EXTERNAL in the calling program. If eval_F is absent, GALAHAD_TRU_solve will use reverse communication to obtain objective function values (see Section 2.6).
- eval_G is an OPTIONAL user-supplied subroutine whose purpose is to evaluate the value of the gradient of the objective function $\nabla_x f(\mathbf{x})$ at a given vector \mathbf{x} . See Section 2.5.2 for details. If eval_G is present, it must be declared EXTERNAL in the calling program. If eval_G is absent, GALAHAD_TRU_solve will use reverse communication to obtain gradient values (see Section 2.6).
- eval_H is an OPTIONAL user-supplied subroutine whose purpose is to evaluate the value of the Hessian of the objective function $\nabla_{xx} f(\mathbf{x})$ at a given vector \mathbf{x} . See Section 2.5.3 for details. If eval_H is present, it must be declared EXTERNAL in the calling program. If eval_H is absent, GALAHAD_TRU_solve will use reverse communication to obtain Hessian function values (see Section 2.6).
- eval_HPROD is an OPTIONAL user-supplied subroutine whose purpose is to evaluate the value of the product $\nabla_{xx} f(\mathbf{x})\mathbf{v}$ of the Hessian of the objective function $\nabla_{xx} f(\mathbf{x})$ with a given vector \mathbf{v} . See Section 2.5.4 for details. If eval_HPROD is present, it must be declared EXTERNAL in the calling program. If eval_HPROD is absent, GA-LAHAD_TRU_solve will use reverse communication to obtain Hessian-vector products (see Section 2.6).
- eval_PREC is an OPTIONAL user-supplied subroutine whose purpose is to evaluate the value of the product P(x)v of the user's preconditioner with a given vector v. See Section 2.5.5 for details. If eval_PREC is present, it must be declared EXTERNAL in the calling program. If eval_PREC is absent, GALAHAD_TRU_solve will use reverse communication to obtain products with the preconditioner (see Section 2.6).

2.4.3 The termination subroutine

All previously allocated arrays are deallocated as follows:

CALL TRU_terminate(data, control, inform)

data is a scalar INTENT (INOUT) argument of type TRU_data_type exactly as for TRU_solve, which must not have been altered by the user since the last call to TRU_initialize. On exit, array components will have been deallocated.

control is a scalar INTENT(IN) argument of type TRU_control_type exactly as for TRU_solve.

inform is a scalar INTENT (OUT) argument of type TRU_inform_type exactly as for TRU_solve. Only the component status will be set on exit, and a successful call to TRU_terminate is indicated when this component status has the value 0. For other return values of status, see Section 2.7.

🚈 GALAHAD

2.5 Function and derivative values

2.5.1 The objective function value via internal evaluation

If the argument eval_F is present when calling GALAHAD_TRU_solve, the user is expected to provide a subroutine of that name to evaluate the value of the objective function $f(\mathbf{x})$. The routine must be specified as

SUBROUTINE eval_F(status, X, userdata, f)

whose arguments are as follows:

- status is a scalar INTENT (OUT) argument of type INTEGER (ip_), that should be set to 0 if the routine has been able to evaluate the objective function and to a non-zero value if the evaluation has not been possible.
- X is a rank-one INTENT (IN) array argument of type REAL (rp_) whose components contain the vector x.
- userdata is a scalar INTENT(INOUT) argument of type GALAHAD_userdata_type whose components may be used to communicate user-supplied data to and from the subroutines eval_F, eval_G, eval_H, eval_HPROD and eval_PREC (see Section 2.3.7).
- f is a scalar INTENT (OUT) argument of type REAL (rp_), that should be set to the value of the objective function $f(\mathbf{x})$ evaluated at the vector \mathbf{x} input in X.

2.5.2 Gradient values via internal evaluation

If the argument eval_G is present when calling GALAHAD_TRU_solve, the user is expected to provide a subroutine of that name to evaluate the value of the gradient the objective function $\nabla_x f(\mathbf{x})$. The routine must be specified as

```
SUBROUTINE eval_G( status, X, userdata, G )
```

whose arguments are as follows:

- status is a scalar INTENT (OUT) argument of type INTEGER (ip_), that should be set to 0 if the routine has been able to evaluate the gradient of the objective function and to a non-zero value if the evaluation has not been possible.
- X is a rank-one INTENT (IN) array argument of type REAL (rp_) whose components contain the vector x.
- userdata is a scalar INTENT(INOUT) argument of type GALAHAD_userdata_type whose components may be used to communicate user-supplied data to and from the subroutines eval_F, eval_G, eval_H, eval_HPROD and eval_PREC (see Section 2.3.7).
- G is a rank-one INTENT (OUT) argument of type REAL (rp_), whose components should be set to the values of the gradient of the objective function $\nabla_x f(\mathbf{x})$ evaluated at the vector \mathbf{x} input in X.

2.5.3 Hessian values via internal evaluation

If the argument eval_H is present when calling GALAHAD_TRU_solve, the user is expected to provide a subroutine of that name to evaluate the values of the Hessian of the objective function $\nabla_{xx} f(\mathbf{x})$. The routine must be specified as

```
SUBROUTINE eval_H( status, X, userdata, Hval )
```

whose arguments are as follows:

status is a scalar INTENT (OUT) argument of type INTEGER (ip_), that should be set to 0 if the routine has been able to evaluate the Hessian of the objective function and to a non-zero value if the evaluation has not been possible.

All use is subject to the conditions of a BSD-3-Clause License.

See http://galahad.rl.ac.uk/galahad-www/cou.html for full details.

- X is a rank-one INTENT (IN) array argument of type REAL (rp_) whose components contain the vector **x**.
- userdata is a scalar INTENT(INOUT) argument of type GALAHAD_userdata_type whose components may be used to communicate user-supplied data to and from the subroutines eval_F, eval_G, eval_H, eval_HPROD and eval_PREC (see Section 2.3.7).
- Hval is a scalar INTENT (OUT) argument of type REAL (rp_), whose components should be set to the values of the Hessian of the objective function $\nabla_{xx} f(\mathbf{x})$ evaluated at the vector \mathbf{x} input in X. The values should be input in the same order as that in which the array indices were given in nlp%H.

2.5.4 Hessian-vector products via internal evaluation

If the argument eval_HPROD is present when calling GALAHAD_TRU_solve, the user is expected to provide a subroutine of that name to evaluate the sum $\mathbf{u} + \nabla_{xx} f(\mathbf{x}) \mathbf{v}$ involving the product of the Hessian of the objective function $\nabla_{xx} f(\mathbf{x})$ with a given vector \mathbf{v} . The routine must be specified as

SUBROUTINE eval_HPROD(status, X, userdata, U, V, got_h)

whose arguments are as follows:

- status is a scalar INTENT (OUT) argument of type INTEGER (ip_), that should be set to 0 if the routine has been able to evaluate the sum $\mathbf{u} + \nabla_{xx} f(\mathbf{x})\mathbf{v}$ and to a non-zero value if the evaluation has not been possible.
- X is a rank-one INTENT(IN) array argument of type REAL(rp_) whose components contain the vector **x**.
- userdata is a scalar INTENT(INOUT) argument of type GALAHAD_userdata_type whose components may be used to communicate user-supplied data to and from the subroutines eval_F, eval_G, eval_H, eval_HPROD and eval_PREC (see Section 2.3.7).
- U is a rank-one INTENT (INOUT) array argument of type REAL (rp_) whose components on input contain the vector **u** and on output the sum $\mathbf{u} + \nabla_{xx} f(\mathbf{x}) \mathbf{v}$.
- V is a rank-one INTENT (IN) array argument of type REAL (rp_) whose components contain the vector v.
- got_his an OPTIONAL scalar INTENT(IN) argument of type default LOGICAL. If the Hessian has already been evaluated at the current x got_h will be PRESENT and set .TRUE.; if this is the first time the Hessian is to be accessed at x, either got_h will be absent or PRESENT and set .FALSE. This gives the user the opportunity to reuse "start-up" computations required for the first instance of x to speed up subsequent products.

2.5.5 Preconditioner-vector products via internal evaluation

If the argument eval_PREC is present when calling GALAHAD_TRU_solve, the user is expected to provide a subroutine of that name to evaluate the product $\mathbf{u} = \mathbf{P}(\mathbf{x})\mathbf{v}$ involving the user's preconditioner $\mathbf{P}(\mathbf{x})$ with a given vector \mathbf{v} . The symmetric matrix $\mathbf{P}(\mathbf{x})$ should ideally be chosen so that the eigenvalues of $\mathbf{P}(\mathbf{x})(\nabla_{xx}f(\mathbf{x}))^{-1}$ are clustered. The routine must be specified as

SUBROUTINE eval_PREC(status, X, userdata, U, V)

whose arguments are as follows:

- status is a scalar INTENT (OUT) argument of type INTEGER (ip_), that should be set to 0 if the routine has been able to evaluate the product P(x)v and to a non-zero value if the evaluation has not been possible.
- X is a rank-one INTENT (IN) array argument of type REAL (rp_) whose components contain the vector **x**.

- userdata is a scalar INTENT(INOUT) argument of type GALAHAD_userdata_type whose components may be used to communicate user-supplied data to and from the subroutines eval_F, eval_G, eval_H and eval_PREC (see Section 2.3.7).
- U is a rank-one INTENT (OUT) array argument of type REAL (rp_) whose components on output should contain the product sum $\mathbf{u} = \mathbf{P}(\mathbf{x})\mathbf{v}$.
- V is a rank-one INTENT (IN) array argument of type REAL (rp_) whose components contain the vector v.

2.6 Reverse Communication Information

A positive value of inform%status on exit from TRU_solve indicates that GALAHAD_TRU_solve is seeking further information—this will happen if the user has chosen not to evaluate function or derivative values internally (see Section 2.5). The user should compute the required information and re-enter GALAHAD_TRU_solve with inform%status and all other arguments (except those specifically mentioned below) unchanged.

Possible values of inform%status and the information required are

- 2. The user should compute the objective function value $f(\mathbf{x})$ at the point \mathbf{x} indicated in nlp%X. The required value should be set in nlp%f, and data%eval_status should be set to 0. If the user is unable to evaluate $f(\mathbf{x})$ —for instance, if the function is undefined at \mathbf{x} —the user need not set nlp%f, but should then set data%eval_status to a non-zero value.
- 3. The user should compute the gradient of the objective function $\nabla_x f(\mathbf{x})$ at the point \mathbf{x} indicated in nlp%X. The value of the *i*-th component of the gradient should be set in nlp%G(i), for i = 1, ..., n and data%eval_status should be set to 0. If the user is unable to evaluate a component of $\nabla_x f(\mathbf{x})$ —for instance, if a component of the gradient is undefined at \mathbf{x} —the user need not set nlp%G, but should then set data%eval_status to a non-zero value.
- 4. The user should compute the Hessian of the objective function $\nabla_{xx} f(\mathbf{x})$ at the point \mathbf{x} indicated in nlp%X. The value *l*-th component of the Hessian stored according to the scheme input in the remainder of nlp%H (see Section 2.3.2) should be set in nlp%H%val(1), for l = 1, ..., nlp%H%ne and data%eval_status should be set to 0. If the user is unable to evaluate a component of $\nabla_{xx} f(\mathbf{x})$ —for instance, if a component of the Hessian is undefined at \mathbf{x} —the user need not set nlp%H%val, but should then set data%eval_status to a non-zero value.
- 5. The user should compute the product $\nabla_{xx} f(\mathbf{x}) \mathbf{v}$ of the Hessian of the objective function $\nabla_{xx} f(\mathbf{x})$ at the point \mathbf{x} indicated in nlp%X with the vector \mathbf{v} and add the result to the vector \mathbf{u} . The vectors \mathbf{u} and \mathbf{v} are given in data%U and data%V respectively, the resulting vector $\mathbf{u} + \nabla_{xx} f(\mathbf{x}) \mathbf{v}$ should be set in data%U and data%eval_status should be set to 0. If the user is unable to evaluate the product—for instance, if a component of the Hessian is undefined at \mathbf{x} —the user need not set nlp%H%val, but should then set data%eval_status to a non-zero value.
- 6. The user should compute the product $\mathbf{u} = \mathbf{P}(\mathbf{x})\mathbf{v}$ of their preconditioner $\mathbf{P}(\mathbf{x})$ at the point \mathbf{x} indicated in nlp%X with the vector \mathbf{v} . The vectors \mathbf{v} is given in data%V, the resulting vector $\mathbf{u} = \mathbf{P}(\mathbf{x})\mathbf{v}$ should be set in data%U and data%eval_status should be set to 0. If the user is unable to evaluate the product—for instance, if a component of the preconditioner is undefined at \mathbf{x} —the user need not set data%U, but should then set data%eval_status to a non-zero value.

2.7 Warning and error messages

A negative value of inform%status on exit from TRU_solve or TRU_terminate indicates that an error has occurred. No further calls should be made until the error has been corrected. Possible values are:

-1. An allocation error occurred. A message indicating the offending array is written on unit control%error, and the returned allocation status and a string containing the name of the offending array are held in inform%alloc_- status and inform%bad_alloc, respectively.

- -2. A deallocation error occurred. A message indicating the offending array is written on unit control%error and the returned allocation status and a string containing the name of the offending array are held in inform%alloc_status and inform%bad_alloc, respectively.
- -3. The restriction nlp%n > 0 or requirement that nlp%H_type contains its relevant string 'DENSE', 'COORDINATE', 'SPARSE_BY_ROWS' or 'DIAGONAL' has been violated.
- -7. The objective function appears to be unbounded from below on the feasible set.
- -9. The analysis phase of the factorization failed; the return status from the factorization package is given in the component inform%factor_status.
- -10. The factorization failed; the return status from the factorization package is given in the component inform%factor_status.
- -11. The solution of a set of linear equations using factors from the factorization package failed; the return status from the factorization package is given in the component inform%factor_status.
- -15. The preconditioner P(x) appears not to be positive definite.
- -16. The problem is so ill-conditioned that further progress is impossible.
- -17. The step is too small to make further impact.
- -18. Too many iterations have been performed. This may happen if control%maxit is too small, but may also be symptomatic of a badly scaled problem.
- -19. The elapsed CPU or system clock time limit has been reached. This may happen if either control%cpu_time_limit or control%clock_time_limit is too small, but may also be symptomatic of a badly scaled problem.
- -82. The user has forced termination of GALAHAD_TRU_solve by removing the file named control%alive_file from unit control%alive_unit.

2.8 Further features

In this section, we describe an alternative means of setting control parameters, that is components of the variable control of type TRU_control_type (see Section 2.3.3), by reading an appropriate data specification file using the subroutine TRU_read_specifile. This facility is useful as it allows a user to change TRU control parameters without editing and recompiling programs that call TRU.

A specification file, or specfile, is a data file containing a number of "specification commands". Each command occurs on a separate line, and comprises a "keyword", which is a string (in a close-to-natural language) used to identify a control parameter, and an (optional) "value", which defines the value to be assigned to the given control parameter. All keywords and values are case insensitive, keywords may be preceded by one or more blanks but values must not contain blanks, and each value must be separated from its keyword by at least one blank. Values must not contain more than 30 characters, and each line of the specfile is limited to 80 characters, including the blanks separating keyword and value.

The portion of the specification file used by TRU_read_specifile must start with a "BEGIN TRU" command and end with an "END" command. The syntax of the specifile is thus defined as follows:

```
( .. lines ignored by TRU_read_specfile .. )
BEGIN TRU
    keyword value
    .....
    keyword value
END
( .. lines ignored by TRU_read_specfile .. )
```

🙇 GALAHAD

where keyword and value are two strings separated by (at least) one blank. The "BEGIN TRU" and "END" delimiter command lines may contain additional (trailing) strings so long as such strings are separated by one or more blanks, so that lines such as

BEGIN TRU SPECIFICATION

and

```
END TRU SPECIFICATION
```

are acceptable. Furthermore, between the "BEGIN TRU" and "END" delimiters, specification commands may occur in any order. Blank lines and lines whose first non-blank character is ! or * are ignored. The content of a line after a ! or * character is also ignored (as is the ! or * character itself). This provides an easy manner to "comment out" some specification commands, or to comment specific values of certain control parameters.

The value of a control parameters may be of three different types, namely integer, logical or real. Integer and real values may be expressed in any relevant Fortran integer and floating-point formats (respectively). Permitted values for logical parameters are "ON", "TRUE", ".TRUE.", "T", "YES", "Y", or "OFF", "NO", "N", "FALSE", ".FALSE." and "F". Empty values are also allowed for logical control parameters, and are interpreted as "TRUE".

The specification file must be open for input when TRU_read_specifile is called, and the associated device number passed to the routine in device (see below). Note that the corresponding file is REWINDed, which makes it possible to combine the specifications for more than one program/routine. For the same reason, the file is not closed by TRU_read_specifile.

2.8.1 To read control parameters from a specification file

Control parameters may be read from a file as follows:

```
CALL TRU_read_specfile( control, device )
```

- control is a scalar INTENT (INOUT) argument of type TRU_control_type (see Section 2.3.3). Default values should have already been set, perhaps by calling TRU_initialize. On exit, individual components of control may have been changed according to the commands found in the specifile. Specifile commands and the component (see Section 2.3.3) of control that each affects are given in Table 2.1.
- device is a scalar INTENT(IN) argument of type INTEGER(ip_), that must be set to the unit number on which the specific has been opened. If device is not open, control will not be altered and execution will continue, but an error message will be printed on unit control%error.

2.9 Information printed

If control%print_level is positive, information about the progress of the algorithm will be printed on unit control%out. If control%print_level = 1, a single line of output will be produced for each iteration of the process. This will include the values of the objective function and the norm of its gradient, the ratio of actual to predicted decrease following the step, the radius of the trust-region and the time taken so far. In addition, if a direct solution of the subproblem has been attempted, the Lagrange multiplier from the secular equation and the number of factorizations used will be recorded, while if an iterative solution has been used, the numbers of phase 1 and 2 iterations will be given.

If control%print_level ≥ 2 this output will be increased to provide significant detail of each iteration. This extra output includes residuals of the linear systems solved, and, for larger values of control%print_level, values of the variables and gradients. Further details concerning the attempted solution of the models may be obtained by increasing control%TRS_control%print_level, control%DPS_control%print_level and control%GLTR_control%print_level, while details about factorizations are available by increasing control%PSLS_control%print_level. See the specification sheets for the packages GALAHAD_GLTR, GALAHAD_PSLS, GALAHAD_TRS and GALAHAD_DPS for details.

command	component of control	value type
error-printout-device	%error	integer
printout-device	%out	integer
print-level	%print_level	integer
start-print	%start_print	integer
stop-print	%stop_print	integer
iterations-between-printing	%print_gap	integer
maximum-number-of-iterations	%maxit	integer
alive-device	%alive_unit	integer
history-length-for-non-monotone-descent	%non_monotone	integer
model-used	%model	integer
norm-used	%norm	integer
semi-bandwidth-for-band-norm	%semi_bandwidth	integer
number-of-lbfgs-vectors	%lbfgs_vectors	integer
max-number-of-secant-vectors	%max_dxg	integer
number-of-lin-more-vectors	%icfs_vectors	integer
mi28-l-fill-size	%mi28_lsize	integer
mi28-r-entry-size	%mi28_rsize	integer
advanced-start	%advanced_start	integer
absolute-gradient-accuracy-required	%stop_g_absolute	real
relative-gradient-reduction-required	<pre>%stop_g_relative</pre>	real
minimum-relative-step-allowed	%stop_s	real
initial-trust-region-radius	%initial_radius	real
maximum-trust-region-radius	%maximum_radius	real
successful-iteration-tolerance	%eta_successful	real
very-successful-iteration-tolerance	<pre>%eta_very_successful</pre>	real
too-successful-iteration-tolerance	%eta_too_successful	real
trust-region-increase-factor	<pre>%radius_increase</pre>	real
trust-region-decrease-factor	<pre>%radius_reduce</pre>	real
trust-region-maximum-decrease-factor	<pre>%radius_reduce_max</pre>	real
minimum-objective-before-unbounded	%obj_unbounded	real
maximum-cpu-time-limit	%cpu_time_limit	real
maximum-clock-time-limit	%clock_time_limit	real
hessian-available	%hessian_available	logical
sub-problem-direct	%subproblem_direct	logical
retrospective-trust-region	<pre>%retrospective_trust_region</pre>	logical
renormalize-radius	<pre>%renormalize_radius</pre>	logical
space-critical	<pre>%space_critical</pre>	logical
deallocate-error-fatal	%deallocate_error_fatal	logical
alive-filename	%alive_file	character

Table 2.1: Specfile commands and associated components of control.

3 GENERAL INFORMATION

Use of common: None.

Workspace: Provided automatically by the module.

Other routines called directly: None.

Other modules used directly: TRU_solve calls the GALAHAD packages GALAHAD_CLOCK, GALAHAD_NLPT, GALAHAD_SYMBOLS, GALAHAD_SPECFILE, GALAHAD_PSLS, GALAHAD_GLTR, GALAHAD_TRS, GALAHAD_DPS, GALAHAD_LMS, GALAHAD_SHA, GALAHAD_SPACE and GALAHAD_NORMS.

Input/output: Output is under control of the arguments control%error, control%out and control%print_level.

Restrictions: nlp%n > 0 and nlp%H_type \in {'DENSE', 'COORDINATE', 'SPARSE_BY_ROWS', 'DIAGONAL' }.

Portability: ISO Fortran 95 + TR 15581 or Fortran 2003. The package is thread-safe.

4 METHOD

A trust-region method is used. In this, an improvement to a current estimate of the required minimizer, \mathbf{x}_k is sought by computing a step \mathbf{s}_k . The step is chosen to approximately minimize a model $m_k(\mathbf{s})$ of $f(\mathbf{x}_k + \mathbf{s})$ within a trust region $\|\mathbf{s}_k\| \le \Delta_k$ for some specified positive "radius" Δ_k . The quality of the resulting step \mathbf{s}_k is assessed by computing the "ratio" $(f(\mathbf{x}_k) - f(\mathbf{x}_k + \mathbf{s}_k))/(m_k(\mathbf{0}) - m_k(\mathbf{s}_k))$. The step is deemed to have succeeded if the ratio exceeds a given $\eta_s > 0$, and in this case $\mathbf{x}_{k+1} = \mathbf{x}_k + \mathbf{s}_k$. Otherwise $\mathbf{x}_{k+1} = \mathbf{x}_k$, and the radius is reduced by powers of a given reduction factor until it is smaller than $\|\mathbf{s}_k\|$. If the ratio is larger than $\eta_v \ge \eta_d$, the radius will be increased so that it exceeds $\|\mathbf{s}_k\|$ by a given increase factor. The method will terminate as soon as $\|\nabla_x f(\mathbf{x}_k)\|$ is smaller than a specified value.

Either linear or quadratic models $m_k(\mathbf{s})$ may be used. The former will be taken as the first two terms $f(\mathbf{x}_k) + \mathbf{s}^T \nabla_x f(\mathbf{x}_k)$ of a Taylor series about \mathbf{x}_k , while the latter uses an approximation to the first three terms $f(\mathbf{x}_k) + \mathbf{s}^T \nabla_x f(\mathbf{x}_k) + \frac{1}{2}\mathbf{s}^T \mathbf{B}_k \mathbf{s}$, for which \mathbf{B}_k is a symmetric approximation to the Hessian $\nabla_{xx} f(\mathbf{x}_k)$; possible approximations include the true Hessian, limited-memory secant and sparsity approximations and a scaled identity matrix. Normally a two-norm trust region will be used, but this may change if preconditioning is employed.

An approximate minimizer of the model within the trust region is found using either a direct approach involving factorization or an iterative (conjugate-gradient/Lanczos) approach based on approximations to the required solution from a so-called Krlov subspace. The direct approach is based on the knowledge that the required solution satisfies the linear system of equations ($\mathbf{B}_k + \lambda_k \mathbf{I}$) $\mathbf{s}_k = -\nabla_x f(\mathbf{x}_k)$ involving a scalar Lagrange multiplier λ_k . This multiplier is found by uni-variate root finding, using a safeguarded Newton-like process, by GALAHAD_TRS or GALAHAD_DPS (depending on the norm chosen). The iterative approach uses GALAHAD_GLTR, and is best accelerated by preconditioning with good approximations to \mathbf{B}_k using GALAHAD_PSLS. The iterative approach has the advantage that only matrix-vector products $\mathbf{B}_k \mathbf{v}$ are required, and thus \mathbf{B}_k is not required explicitly. However when factorizations of \mathbf{B}_k are possible, the direct approach is often more efficient.

References:

The generic trust-region method is described in detail in

A. R. Conn, N. I. M. Gould and Ph. L. Toint (2000). Trust-region methods. SIAM/MPS Series on Optimization.

5 EXAMPLES OF USE

Suppose we wish to minimize the parametric objective function $f(\mathbf{x}) = (x_1 + x_3 + p)^2 + (x_2 + x_3)^2 + \cos x_1$ when the parameter *p* takes the value 4. Starting from the initial guess $\mathbf{x} = (1, 1, 1)$, we may use the following code:

```
PROGRAM GALAHAD_TRU_EXAMPLE ! GALAHAD 4.1 - 2022-12-29 AT 11:15 GMT
USE GALAHAD_TRU_double ! double precision version
IMPLICIT NONE
INTEGER, PARAMETER :: wp = KIND( 1.0D+0 ) ! set precision
TYPE ( NLPT_problem_type ) :: nlp
TYPE ( TRU_control_type ) :: control
TYPE ( TRU_inform_type ) :: inform
```

```
TYPE ( TRU_data_type ) :: data
  TYPE ( GALAHAD_userdata_type ) :: userdata
  EXTERNAL :: FUN, GRAD, HESS
  INTEGER :: s
  INTEGER, PARAMETER :: n = 3, h_ne = 5
  REAL ( KIND = wp ), PARAMETER :: p = 4.0_wp
! start problem data
  nlp%n = n ; nlp%H%ne = h_ne
                                              ! dimensions
  ALLOCATE( nlp%X( n ), nlp%G( n ) )
  nlp%X = 1.0_wp
                                              ! start from one
! sparse co-ordinate storage format
  CALL SMT_put( nlp%H%type, 'COORDINATE', s ) ! Specify co-ordinate storage
  ALLOCATE( nlp%H%val( h_ne ), nlp%H%row( h_ne ), nlp%H%col( h_ne ) )
  nlp%H%row = (/ 1, 3, 2, 3, 3 /)
                                              ! Hessian H
  nlp%H%col = (/ 1, 1, 2, 2, 3 /)
                                              ! NB lower triangle
! problem data complete
  ALLOCATE( userdata%real( 1 ) )
                                              ! Allocate space for parameter
  userdata%real(1) = p
                                              ! Record parameter, p
  CALL TRU_initialize( data, control, inform ) ! Initialize control parameters
  control%subproblem_direct = .TRUE.
                                             ! Use a direct method
! control%print_level = 1
  inform%status = 1
                                              ! set for initial entry
  CALL TRU_solve( nlp, control, inform, data, userdata, eval_F = FUN,
                                                                             &
                 eval_G = GRAD, eval_H = HESS ) ! Solve problem
  IF ( inform%status == 0 ) THEN ! Successful return
   WRITE( 6, "( ' TRU: ', I0, ' iterations -',
                                                                             æ
   & ' optimal objective value =',
                                                                             &
          ES12.4, /, ' Optimal solution = ', ( 5ES12.4 ) )" )
   æ
                                                                             æ
    inform%iter, inform%obj, nlp%X
  ELSE
                                              ! Error returns
    WRITE( 6, "( ' TRU_solve exit status = ', I6 ) " ) inform%status
  END IF
  CALL TRU_terminate( data, control, inform ) ! delete internal workspace
  DEALLOCATE( nlp%X, nlp%G, nlp%H%val, nlp%H%row, nlp%H%col, userdata%real )
  END PROGRAM GALAHAD_TRU_EXAMPLE
  SUBROUTINE FUN( status, X, userdata, f)
                                             ! Objective function
  USE GALAHAD_USERDATA_double, ONLY: GALAHAD_userdata_type
  INTEGER, PARAMETER :: wp = KIND( 1.0D+0 )
  INTEGER, INTENT( OUT ) :: status
  REAL ( KIND = wp ), INTENT( OUT ) :: f
  REAL ( KIND = wp ), DIMENSION( : ), INTENT( IN ) :: X
  TYPE ( GALAHAD_userdata_type ), INTENT( INOUT ) :: userdata
  f = (X(1) + X(3) + userdata%real(1)) ** 2 +
                                                                             £
      (X(2) + X(3)) ** 2 + COS(X(1))
  status = 0
  RETURN
  END SUBROUTINE FUN
  SUBROUTINE GRAD( status, X, userdata, G ) ! gradient of the objective
  USE GALAHAD_USERDATA_double, ONLY: GALAHAD_userdata_type
  INTEGER, PARAMETER :: wp = KIND( 1.0D+0 )
  INTEGER, INTENT( OUT ) :: status
  REAL ( KIND = wp ), DIMENSION( : ), INTENT( IN ) :: X
  REAL ( KIND = wp ), DIMENSION( : ), INTENT( OUT ) :: G
```

🜌 GALAHAD

```
TYPE ( GALAHAD_userdata_type ), INTENT( INOUT ) :: userdata
G(1) = 2.0_wp * (X(1) + X(3) + userdata%real(1)) - SIN(X(1))
G(2) = 2.0 wp * (X(2) + X(3))
G(3) = 2.0_wp * (X(1) + X(3) + userdata%real(1)) +
                                                                        ŵ
        2.0_wp * (X(2) + X(3))
status = 0
RETURN
END SUBROUTINE GRAD
SUBROUTINE HESS( status, X, userdata, Hval ) ! Hessian of the objective
USE GALAHAD_USERDATA_double, ONLY: GALAHAD_userdata_type
INTEGER, PARAMETER :: wp = KIND( 1.0D+0 )
INTEGER, INTENT( OUT ) :: status
REAL ( KIND = wp ), DIMENSION( : ), INTENT( IN ) :: X
REAL ( KIND = wp ), DIMENSION( : ), INTENT( OUT ) :: Hval
TYPE ( GALAHAD_userdata_type ), INTENT( INOUT ) :: userdata
Hval(1) = 2.0_wp - COS(X(1))
Hval(2) = 2.0_wp
Hval(3) = 2.0_wp
Hval(4) = 2.0_wp
Hval(5) = 4.0_wp
status = 0
RETURN
END SUBROUTINE HESS
```

Notice how the parameter p is passed to the function evaluation routines via the real component of the derived type userdata. The code produces the following output:

TRU: 8 iterations - optimal objective value = -1.0000 ± 00 Optimal solution = -9.4248 ± 00 - 5.4248 ± 00 - 5.4248 ± 00

If the Hessian is unavailable, but products of the form $\mathbf{u} + \mathbf{H}\mathbf{v}$ are, the same problem may be solved as follows:

```
PROGRAM GALAHAD_TRU2_EXAMPLE ! GALAHAD 4.1 - 2022-12-29 AT 11:15 GMT
  USE GALAHAD_TRU_double
                                              ! double precision version
  IMPLICIT NONE
  INTEGER, PARAMETER :: wp = KIND( 1.0D+0 )  ! set precision
  TYPE ( NLPT_problem_type ):: nlp
  TYPE ( TRU_control_type ) :: control
  TYPE ( TRU_inform_type ) :: inform
  TYPE ( TRU_data_type ) :: data
  TYPE ( GALAHAD_userdata_type ) :: userdata
  EXTERNAL :: FUN, GRAD, HESSPROD
  INTEGER, PARAMETER :: n = 3, h_ne = 5
  REAL (KIND = wp), PARAMETER :: p = 4.0_wp
! start problem data
  nlp%n = n ; nlp%H%ne = h_ne
                                               ! dimensions
  ALLOCATE( nlp%X( n ), nlp%G( n ) )
  nlp%X = 1.0_wp
                                               ! start from one
! problem data complete
  ALLOCATE( userdata%real( 1 ) )
                                              ! Allocate space for parameter
  userdata%real( 1 ) = p
                                              ! Record parameter, p
  CALL TRU_initialize( data, control, inform ) ! Initialize control parameters
  control%hessian_available = .FALSE.
                                              ! Hessian products will be used
  control%print_level = 1
  inform%status = 1
                                               ! Set for initial entry
  CALL TRU_solve( nlp, control, inform, data, userdata, eval_F = FUN,
                                                                              &
```

```
TRU
```

```
eval_G = GRAD, eval_HPROD = HESSPROD ) ! Solve problem
IF ( inform%status == 0 ) THEN ! Successful return
 WRITE( 6, "( ' TRU: ', I0, ' iterations -',
                                                                         8
& ' optimal objective value =',
                                                                         æ
        ES12.4, /, ' Optimal solution = ', ( 5ES12.4 ) )" )
&
                                                                         ς,
 inform%iter, inform%obj, nlp%X
                                           ! Error returns
ELSE
 WRITE( 6, "( ' TRU_solve exit status = ', I6 ) " ) inform%status
END IF
CALL TRU_terminate( data, control, inform ) ! delete internal workspace
DEALLOCATE( nlp%X, nlp%G, userdata%real )
END PROGRAM GALAHAD_TRU2_EXAMPLE
SUBROUTINE FUN( status, X, userdata, f)
                                          ! Objective function
USE GALAHAD_USERDATA_double, ONLY: GALAHAD_userdata_type
INTEGER, PARAMETER :: wp = KIND( 1.0D+0 )
INTEGER, INTENT( OUT ) :: status
REAL ( KIND = wp ), INTENT( OUT ) :: f
REAL ( KIND = wp ), DIMENSION( : ), INTENT( IN ) :: X
TYPE ( GALAHAD_userdata_type ), INTENT( INOUT ) :: userdata
f = ( X( 1 ) + X( 3 ) + userdata%real( 1 ) ) ** 2 +
                                                                         £
   (X(2) + X(3)) ** 2 + COS(X(1))
status = 0
RETURN
END SUBROUTINE FUN
SUBROUTINE GRAD( status, X, userdata, G ) ! gradient of the objective
USE GALAHAD_USERDATA_double, ONLY: GALAHAD_userdata_type
INTEGER, PARAMETER :: wp = KIND( 1.0D+0 )
INTEGER, INTENT( OUT ) :: status
REAL ( KIND = wp ), DIMENSION( : ), INTENT( IN ) :: X
REAL ( KIND = wp ), DIMENSION( : ), INTENT( OUT ) :: G
TYPE ( GALAHAD_userdata_type ), INTENT( INOUT ) :: userdata
G(1) = 2.0_wp * (X(1) + X(3) + userdata%real(1)) - SIN(X(1))
G(2) = 2.0 wp * (X(2) + X(3))
G(3) = 2.0_wp * (X(1) + X(3) + userdata%real(1)) +
                                                                         æ
        2.0_wp * (X(2) + X(3))
status = 0
RETURN
END SUBROUTINE GRAD
SUBROUTINE HESSPROD( status, X, userdata, U, V, got_h ) ! Hessian-vector prod
USE GALAHAD_USERDATA_double, ONLY: GALAHAD_userdata_type
INTEGER, PARAMETER :: wp = KIND( 1.0D+0 )
INTEGER, INTENT( OUT ) :: status
LOGICAL, OPTIONAL, INTENT( IN ) :: got_h
REAL ( KIND = wp ), DIMENSION( : ), INTENT( INOUT ) :: U
REAL ( KIND = wp ), DIMENSION( : ), INTENT( IN ) :: V
REAL ( KIND = wp ), DIMENSION( : ), OPTIONAL, INTENT( IN ) :: X
TYPE ( GALAHAD_userdata_type ), INTENT( INOUT ) :: userdata
U(1) = U(1) + 2.0 wp * (V(1) + V(3)) - COS(X(1)) * V(1)
U(2) = U(2) + 2.0_wp * (V(2) + V(3))
U(3) = U(3) + 2.0_{wp} * (V(1) + V(2) + 2.0_{wp} * V(3))
status = 0
RETURN
```

```
All use is subject to the conditions of a BSD-3-Clause License.
See http://galahad.rl.ac.uk/galahad-www/cou.html for full details.
```

END SUBROUTINE HESSPROD

Notice that storage for the Hessian is now not needed. This produces the same output.

If the user prefers to provide function and gradient information and Hessian-vector products without calls to specified routines, the following code is appropriate. Note the product with the user-provided preconditioner

$$\mathbf{P}(\mathbf{x}) = \begin{pmatrix} \frac{1}{2} & 0 & 0\\ 0 & \frac{1}{2} & 0\\ 0 & 0 & \frac{1}{4} \end{pmatrix}$$

which is a suitable approximation to the inverse of the Hessian:

```
PROGRAM GALAHAD_TRU3_EXAMPLE ! GALAHAD 4.1 - 2022-12-29 AT 11:15 GMT
  USE GALAHAD_TRU_double
                                           ! double precision version
  IMPLICIT NONE
  INTEGER, PARAMETER :: wp = KIND( 1.0D+0 ) ! set precision
  TYPE ( NLPT_problem_type ):: nlp
  TYPE ( TRU_control_type ) :: control
  TYPE ( TRU_inform_type ) :: inform
  TYPE ( TRU_data_type ) :: data
  TYPE ( GALAHAD_userdata_type ) :: userdata
  INTEGER :: s
  INTEGER, PARAMETER :: n = 3, h_ne = 5
  REAL (KIND = wp), PARAMETER :: p = 4.0_wp
! start problem data
  nlp%n = n ; nlp%H%ne = h_ne
                                            ! dimensions
  ALLOCATE( nlp%X( n ), nlp%G( n ) )
  nlp%X = 1.0_wp
                                            ! start from one
! problem data complete
  CALL TRU_initialize( data, control, inform ) ! Initialize control parameters
! control%print_level = 1
  control%hessian_available = .FALSE.
                                           ! Hessian products will be used
! control%psls_control%preconditioner = - 3 ! Apply uesr's preconditioner
  inform%status = 1
                                            ! Set for initial entry
  DO
                                            ! Loop to solve problem
    CALL TRU_solve( nlp, control, inform, data, userdata )
    ! Obtain the objective function
    CASE (2)
      nlp%f = ( nlp%X( 1 ) + nlp%X( 3 ) + p ) ** 2 +
                                                                         8
             ( nlp%X( 2 ) + nlp%X( 3 ) ) ** 2 + COS( nlp%X( 1 ) )
      data%eval_status = 0
                                            ! record successful evaluation
    CASE (3)
                                            ! Obtain the gradient
      nlp%G(1) = 2.0_wp * ( nlp%X(1) + nlp%X(3) + p ) - SIN( nlp%X(1) )
      nlp&G(2) = 2.0_wp * (nlp&X(2) + nlp&X(3))
      nlp%G( 3 ) = 2.0_wp * ( nlp%X( 1 ) + nlp%X( 3 ) + p ) +
                                                                         £
                  2.0_wp * ( nlp%X( 2 ) + nlp%X( 3 ) )
      data%eval_status = 0
                                            ! record successful evaluation
    CASE ( 5 )
                                            ! Obtain Hessian-vector product
      data%U(1) = data%U(1) + 2.0_wp * ( data%V(1) + data%V(3) ) - &
                   COS( nlp%X( 1 ) ) * data%V( 1 )
      data U(2) = data U(2) + 2.0 wp * (data V(2) + data V(3))
      data U(3) = data U(3) + 2.0 wp * (data V(1) + data V(2) +
                   2.0_wp * data%V( 3 ) )
      data%eval_status = 0
                                            ! record successful evaluation
    CASE (6)
                                            ! Apply the preconditioner
      data U(1) = 0.5 wp * data V(1)
```

```
data U(2) = 0.5 wp * data V(2)
   data U(3) = 0.25 wp * data V(3)
   data%eval_status = 0
                                           ! record successful evaluation
 CASE DEFAULT
                                           ! Terminal exit from loop
   EXIT
 END SELECT
END DO
IF ( inform%status == 0 ) THEN
                                          ! Successful return
 WRITE( 6, "( ' TRU: ', I0, ' iterations -',
                                                                         8
& ' optimal objective value =',
                                                                         &
        ES12.4, /, ' Optimal solution = ', ( 5ES12.4 ) )" )
                                                                          &
&
 inform%iter, inform%obj, nlp%X
ELSE
                                           ! Error returns
 WRITE( 6, "( ' TRU_solve exit status = ', I6 ) " ) inform%status
END IF
CALL TRU_terminate( data, control, inform ) ! Delete internal workspace
END PROGRAM GALAHAD_TRU3_EXAMPLE
```